Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("7065744" "6753889").pn. "20030177477"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:35
L2	1	("2003/0177477").URPN.	USPAT	OR	OFF ·	2006/10/30 10:35
L3	49	("20020029263" "20020069275" "20020091809" "20020091819" "20020103660" "20020107872" "20020140743" "20030018964" "20030055948" "20030095142" "20030095145" "20030110073" "20030135648" "20030177477" "20040015889" "5237688" "5257371" "5317742" "5483631" "5566294" "5635918" "5652884" "5754173" "5829053" "5870559" "5870611" "5872966" "5907696" "5950010" "5958008" "5970490" "6008805" "6035119" "6085196" "6108712" "6115646" "6118446" "6125442" "6134559" "6144962" "6157953" "6161126" "6199195" "6252593" "6311321" "6317748" "6496793" "6567808" "6708074"). PN. OR ("7065744").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:06
L4	583	717/100.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:07
L5	99	717/100.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L6	62	717/101.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L7	44	717/102.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L8	28	717/103.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L9	96	717/104.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L10	48	717/105.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08

L11	94	717/106.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L12	60	717/107.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L13	94	717/108.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L14	73	717/109.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:08
L15	85	717/136.ccls. and (markup or ml or xml) and (java or bytecode or jms or jms)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L16	572	717/136.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L17	312	717/101.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L18	· 139	717/102.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L19	118	717/103.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L20	458	717/104.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L21	241	717/105.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L22	497	717/106.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L23	252	717/107.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L24	469	717/108.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:09
L25	386	717/109.ccls.	US-PGPUB; USPAT; USOCR	OR ·	OFF	2006/10/30 11:10

			•			
L26	593	I5 l6 l7 l8 l9 l10 l11 l12 l13 l14 l15	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/30 11:10
L27	283	(I5 I6 I7 I8 I9 I10 I11 I12 I13 I14 I15) and (markup or ml or xml) same (java or bytecode or jms or jms) and (messag\$3 or communicat\$4 or protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/30 11:11
L28	40	(I5 I6 I7 I8 I9 I10 I11 I12 I13 I14 I15) and (markup or ml or xml) near5 (java or bytecode or jms or jms) same (messag\$3 or communicat\$4 or protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/30 11:12
S1 .	252	(ui or gui or "user interface") same (markup or ml or xml or "mark-up") and (jms or JMX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:35
S2	249	(ui or gui or "user interface") same (markup or ml or xml or "mark-up") and (jms or JMX) and (client or server or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 15:29
S3	45	(ui or gui or "user interface") same (markup or ml or xml or "mark-up") and (jms or JMX) and (client or server or network) and (generat\$3 or creat\$3) near3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 15:32
S4	46	(ui or gui or "user interface") same (markup or ml or xml or "mark-up") and (jms or JMX) and (client or server or network) and (convert\$3 or conversion or generat\$3 or creat\$3) near3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/25 15:33
S5	264	(jms or jmx) and weblogic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 07:22
S6	0	(jms or jmx) and weblogic and @pd<="2003".pd.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 07:18
S7	0	(jms or jmx) and weblogic and @py<="2003".py.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/26 07:18

S8	82	(jms or jmx) and weblogic and (client or "end user" or user or workstation) near5 ("mark up" or markup or ml or xml)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:02
S9	5	jmsml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:03
S10	17	jms adj (ml or xml or markup or "mark up")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 08:03
S11	12	S10 not S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 10:26
S12	2	"6753889".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/10/26 16:17